

280 Class DP-2 OSV DWT 3,700

JEAN PIERRE LAB



80 psi

DIMENSIONS & DOCUMENTATION

Length Overall: 260 79.2 60 Ft 18.2 Depth: 19.5 5.9 Ft М Beam M Ft M

GRT (ITC): 2,287 68 Max Draft: Net: 16 4.8 M

6

Classification: **ABS** Flag: US Min Draft:

Classification ID: 09195449 O. N. 1217806 Year Built: 2009

IMO: 9564308

₩A1, Offshore Support Vessel, ₩AMS, ₩ACC, ₩DPS-2 Notations:

Subchapter L, SOLAS Certifications

PERFORMANCE

Maximum Speed: 13.0 Fuel Consumption: 240 knots gal/hr 908.5 I/hr Cruising Speed: **Fuel Consumption:** I/hr 11.0 knots 140 gal/hr 529.9

MACHINERY

Main Engines: 2 x Caterpillar 3516B Total Horsepower: 5,150 BHP Main Propulsion: 2 x Azimuthing Z- Drives Total Horsepower: 5,150 BHP Main Generators: 3 x Caterpillar C-18 Total Rating: 1,275 kW 2 X Schottel SST3 VPP Bow Thrusters: Total Horsepower: 2,400 BHP

Power Generation 480V/60Hz

CAPACITIES & DISCHARGE RATES

Deadweight: 3,698 Lt 3,757 Cargo Deck Area: 192 52 Ft² Mt ft ft 9,984

Deck Strength: 1.080 lbs/ft² 5.0 t/m^2 58.5 Μ Χ 15.8 Μ 927 M^2

Drill/Rig Water: 279,966 USG 1,057 M³ Discharge Rate: 750 170 M³/hr

GPM

Fuel: 275,091 USG 1.041 M³ Discharge Rates: 750 170 M³/hr **GPM**

1,682 M³ 1,000 GPM 227 M³/hr Liquid Mud: 10,580 Bbls Discharge Rates:

350 M³ 28 M3/hr Dry Bulk: 12.355 ft³ Discharge Rates: 1,000 ft³/hr

Potable Water: 12,336 USG 46.7 M³

Methanol 1,442 Bbls 230 M³ Discharge Rate: 250 GPM 57 M³/hr

Fire Monitor: 2 x 2,600 2 x 591 M³/hr

GPM

ELECTRONICS

2 X Kongsberg K-POS DP-2 Systems, Full Auto With Full and Mixed Joy Stick Mode, C-Joy, C-Wing, Alarm Printer, Multi Targets, 2 DGPS Receivers, 1 Radius 1000 Interrogator, 2 X 700 Transponders, 1 MK4.2 2000m.Fan Beam, 3 gyro compasses, 3 wind sensors, 2 MRU, Radars (2), GMDSS, VHF Radios(4), SSB Radios (2) Bridge Navigation Watch Alarm System

ACCOMMODATIONS

Accommodations for 27 persons in the following room configurations:

2 each 2 person rooms 2 each 3 person rooms 1 each 1 person room 4 each 4 person rooms

In addition, the vessel is also equipped with a room designed to serve as a 1 bunk infirmary

SPECIAL FEATURES

- 2 X ABS Approved Cargo Monitoring And Pumping Systems
 - Controls All Valves And Pumps While Also Monitoring All Tank Levels
- Computerized Vessel Stability Management
- Online and Satellite Communications
- Video Monitoring of Cargo Deck and Engine Room

NOTICE: The data contained herein is provided for convenience of reference to allow users to determine the suitability of the Company's equipment. The data may vary from the current condition of equipment which can only be determined by physical inspection. Company has exercised due diligence to insure that the data contained herein is reasonably accurate. However, Company does not warrant the accuracy or completeness of the data. In no event shall Company be liable for any damages whatsoever arising out of the use or inability to use the data contained herein.